1.0 INTRODUCTION

1.1 Background

According to the Bureau of Meteorology (2005), a severe tropical cyclone is an intense, low pressure system of sufficient intensity that can produce gale force winds of at least 118km/h. In addition to their extreme winds, cyclones produce extensive rainfall and storm surge, which can cause wide spread destruction to coastal areas (Anderson-Berry 2003).

These tropical depressions generally form over warm ocean waters during the monsoon season, which ranges from November to April (Anderson-Berry 2003). They can vary enormously in intensity, speed and a number of other factors, which requires them to be categorised so that these factors can be easily distinguished (Anderson-Berry 2003). In Australia, five categories have been assigned to cyclones, with Category 1 being the least destructive and Category 5 being a disaster (BOM 2006). The difference in intensity and damage for each category is outlined in the table below.

Table 1: Cyclone Category Descriptions (Australia)

Category	Strongest gust	Typical effects (indicative only)
1.	Less than 125 km/h	Negligible house damage. Damage to some crops, trees and caravans. Craft may drag moorings.
2. Cyclone Justin 1997	125–170 km/h	Minor house damage. Significant damage to signs, trees and caravans. Heavy damage to some crops. Risk of power failure. Small craft may break moorings.
3. Cyclone Steve 2000	170–225 km/h	Some roof and structural damage. Some power

The impact of Cyclone Larry on the infrastructure of the region was devastating, with more than 50% of homes damaged, 35% of private industry damaged and 25% of government buildings, such as school, were destroyed (BOM 2006). Electricity and water was lost for up to weeks for some areas and several areas were isolated due to flooding. Fortunately, little storm surge damage occurred due to the cyclone crossing at neap tide and therefore, only overtopped the highest astronomical tide (HAT) by a small amount (BOM 2006).

As part of the disaster response team, a group of five researchers, from the Centre for Disaster Studies, travelled to Innisfail to carry out post disaster studies. 147 household surveys were carried out face to face, with over 200 people being interview, in order to obtain vital information into the preparations, feelings, activities, communication, etc. involved in the event of a disaster. This was done in order to provide information to emergency planners into the successful management of disaster situations (King and Goudie 2006).

This data was then analysed in terms of when and what preparations were made and how adequate these preparations were, peoples feelings and reactions during the cyclone, and previous experience of cyclones, to help determine the accuracy of the hypothesis.

3.0 RESULTS AND DISCUSSION

3.1 Preparations

State Emergency Services and Local Government authorities encourage

In the early hours on the 18th of March 2006, the Bureau of Meteorology declared that the tropical low situated of the North Queensland coast had intensified into a Category 1 cyclone (BOM 2006). It is interesting then to see that almost 30% of the Innisfail residents (see Figure 1) did not make the necessary preparations until late Sunday afternoon (19th March 2006). A further 20% made their preparations on Saturday and only 11% made preparations before Saturday, which suggests that the pre-cyclone and warning preparation advises are not adequate.



Although, over a quarter of the survey sample did nothing to prepare, Figure 3 shows that almost 75% of the residents thought that their preparations were adequate, 9% excellent and only 14% said their preparations were poor or fair. These results however, could be biased due to the most affected residents not being interviewed.

The results show that despite the warning and pre-cyclone information available most people made their preparations late and a surprising 25% didn't prepare at all. Despite this and the devastation that was caused in Innisfail and the surrounding towns, 75% of residents thought that their preparations were adequate or Cyclone Larry.

3.2 Cyclone Experience

Figure 4

Graph Showing: Previous Cyclone Experience



Cyclone Larry was the first severe cyclone to cross the coast since Cyclone Rona in 1999. However, in terms of the Innisfail area and the devastation caused, Cyclone Winifred, in 1986, was the last Cyclone, which caused similar destruction in the region (BOM 2006).

From the household surveys, over 66% of the residence had experienced Cyclone Winifred. However, 19% had no cyclone experience and therefore, may have had little knowledge as to how to prepare and what to do.

3.3 Feelings about Cyclone Larry

Figure 4 shows, the nearly 40% of the residents didn't become concerned til Monday morning when Cyclone Larry actually crossed the coast. A further 30% became concerned on the Sunday and the remaining either was concerned very early or not concerned at all.





The above figures show that 25% of people felt scared during the cyclone, which was expected. A surprisingly large number of people felt prepared and calm. About 10% of people didn't take it seriously and a small proportion even felt angry about the cyclone. This could also suggest that warning systems are not portraying the real risk of these events and therefore, people are not taking it serious enough.

Figure 7, however, shows that no matter what the feeling was 50% of the residents increased their preparation actions due to these feelings, a further 20% took no action and another 20% stayed calm so as not to frighten others. These feelings are expected during any disaster, and this could be due to past experience or lack thereof.

3.4 Preparations and Feelings in terms of Experience

Before looking at how experience affects people's feelings and preparations, it is important to understand how people feel during cyclones in terms of when they made their preparations.

Table 1:

	Time of beginning preparations						
Before Saturday	Saturday	Sunday before 9	Sunday 9-1	Sunday 1-5	Sunday 5-8	Sunday after 8	none made

the risk as minimal, which caused them to make little or no preparations. Also, majority of the sample made late preparations in terms of when warnings were issued, which suggests that communication is lacking as residents are advised to prepare before the cyclone season.

6.0 REFERENCES

Anderson-Berry, L. (2003). 'Community Vulnerability to Tropical Cyclones: Cairns, 1996–2000'. *Natural Hazards,* 30:209-232.

Anderson-Berry, l. and King, D. 2005 Mitigation of the Impct of Tropical Cyclones in northern Australian through Community Capacity Enhancement. *Mitigation and Adaptation Strategies for Global Change* 10(3): 367-392

Berry and King (1998) Tropical cyclone awareness and education issues for far north Queensland school student: Storm Watchers – a cyclone awareness education package for upper primary school children. *Australian Journal of Emergency Management* 3 (6):25-30

Bureau of Meteorology. (2005). *Climate Education*. Commonwealth of Australia, accessed 30th October 2006, available: http://www.bom.gov.au/lam/climate/levelthree/c20thc/cyclone.htm

Bureau of Meteorology. (2006). *Severe Tropical Cyclone Larry*. Commonwealth of Australia, accessed 30th October 2006, available: http://www.bom.gov.au/lam/climate/levelthree/c20thc/cyclone.htm

Bureau of Meteorology & Emergency Management Australia. (2005). *Surviving Cyclones*. Commonwealth of Australia, accessed 30th October 2006, available: http://www.bom.gov.au/info/cyclone/#introduce

Callaghan, J.: 1998, Tropical cyclone impacts along the Australian east coast from November to April 1867 to 1997, unpublished Bureau of Meteorology working document, Brisbane

King, D and Goudie, D (2006) *Cyclone Larry Report – Post disaster residents survey*. Centre for Disaster Studies, Australian Bureau of Meteorology.

APPENDIX - **Survey Instrument**

Number:
1. Where did you get information from on how to prepare for this cyclone season?
2.. At the beginning of this cyclone season did members of this household discuss the possibility of a cyclone affecting you this year?
If **yes**, what sort of household emergency plan did you have for such an event?

27. Is your property insured for cyclone damage? a) Yes, House only b) Yes, Contents only c) Yes, House and contents d) No
28. What was the effect of Cyclone Larry on your workplace?
29.What was the effect of Cyclone Larry on your community's amenities and resources?
30. How much rainwater came into your house? How did it enter? About how much (a cup, a bucketful)? What damage (if any) did that rainfall cause?
31. Was your floor covered by floodwaters? If yes, by about how much? (Specify if there is a business as well as a residence)
32. What did you and members of your family do to shelter and protect yourselves during the passage of Cyclone Larry.
33. Do you have any pets? If yes, what did you do with them during the time that Cyclone Larry threatened the area?
34. During the passage of Cyclone Larry the Weather Bureau issued regular cyclone advice messages. Is there anything about the delivery of these messages that members of this household believe could be improved?
35. Did the messages contain the information that you felt you needed?
Were they easy to understand? Were they too technical? (extra Question)
36. Please add any additional remarks you would like to make regarding the advice messages put out by the weather bureau.
37. What was the effect of Cyclone Larry on you personally?
38 What did you learn from your experiences that may help others facing a natural disaster threat?
39. Have you previously experienced a cyclone? (which ones and where)
40. Is there anyone in this household who has special needs? If yes how were their needs met during the passage of the cyclone?
41. Suburb
42. Visual observation of damage

Themes